

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	matthew near englehart.in.	US-PGPUB; USPAT	OR	ON	2007/08/13 12:32
L2	7	peter near szpak.in.	US-PGPUB; USPAT	OR	ON	2007/08/13 12:32
L3	83	mathworks.as.	US-PGPUB; USPAT	OR	ON	2007/08/13 12:32
L4	9	L3 and (graphic\$4 and interface and parameter).clm.	US-PGPUB; USPAT	OR	ON	2007/08/13 12:32
L5	102	("5708828" "4924378" "5748877" "5892510" "5946278" "4477874" "4506330" "5295059" "5297247" "5499318" "5576981" "5577239" "5680537" "5740427" "5938766" "5950192" "5969283" "6016400" "6023565" "6065021" "6069563" "6118938" "6121964" "6192368" "6211909" "6211909" "6232539" "6292830" "6453329" "6466973" "20020188928" "20030074235" "20040078236" "20050091255" "20050195678" "20050203950" "20050262271" "5590331" "6038565" "6067524" "6199070" "6246994" "4268950" "4272303" "4277827" "4290184" "4294001" "4315451" "4336647" "4342099"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L6	435	717/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L7	619	717/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L8	616	L6 or L7 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32

EAST Search History

L9	385	L8 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L10	206	L9 and (source adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L11	237	L9 and (code near (generat\$4 or develop\$4 or creat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L12	187	L11 and view	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L13	2	L10 and (storage adj class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L14	186	L12 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L15	151	L14 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L16	113651	"graphical user interface" or gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32

EAST Search History

L17	132	L16 and parameter and "storage class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L18	132	L17 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L19	13	("4695833" "5432903" "5485601" "5495567" "5603034" "5664180" "5668966" "5696975" "5760788" "5923885" "5946693" "5966532" "5974256").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/13 12:32
L20	114	L18 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L21	2	"5732277".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L22	2	"6366300".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L23	39	parameter with (pragma or "non-portable directive")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L24	25	L23 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32

EAST Search History

L25	133	(pragma or directive) with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L26	61	L25 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L27	14	(US-20030074235-\$ or US-20040255269-\$ or US-20040230945-\$ or US-20040111696-\$ or US-20020010908-\$).did. or (US-5892510-\$ or US-6701513-\$ or US-6684385-\$ or US-6421822-\$ or US-6053951-\$ or US-5481712-\$ or US-5187788-\$ or US-5966532-\$ or US-5933642-\$).did.	US-PGPUB; USPAT	OR	ON	2007/08/13 12:32
L28	1	L27 and (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L29	97	(header adj file) with (code near (generat\$4 or creat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L30	62	L29 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L31	57	L30 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32

EAST Search History

L32	913	(pragma or directive) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L33	182	L32 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L34	2	L27 and (header adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L35	23	"non-displayed" with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L36	197	(header adj file) same (code near (generat\$4 or creat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L37	1	L33 and parmeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L38	229	pragma with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L39	10	L38 and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32

EAST Search History

L40	793	parameter with (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L41	263	L40 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L42	121	L41 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L43	0	"non-portable directive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L44	79	L42 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L45	23	(non-displayed or "not display") with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L46	3359	(non-displayed or hidden or phantom) with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L47	355	L46 and token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32

EAST Search History

L48	38	L47 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L49	89	pragma near directive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L50	85	L49 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L51	69	L50 and (data with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L52	54	L51 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L53	105	L47 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L54	92	L53 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L55	63	L50 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32

EAST Search History

L56	66	L49 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L57	18	pragma with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L58	55	L26 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:32
L59	96	(6 or 7) and @pd>="20070305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:37